

XBID_NEMO_OTH_03 XBID NEMO Admins

Version	[REDACTED]
Date	[REDACTED]
	[REDACTED]

Approval

Version	Date	Name	Function	Signature

Previous versions

Version	Date	Author	Summary of changes
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Table of Contents

1	Introduction	2
1.1	Purpose	3
1.2	Governed / Regulated by.....	3
1.3	Associated procedures	3
2	Procedure.....	4
2.1	General overview.....	4
2.2	SOB NA, SM NA.....	4
2.3	NCA	6
2.4	Appointment of the NCA	9
2.5	Coordinator switch process.....	10
2.6	ACER report procedure.....	11
3	Annexes to XBID_NEMO_OTH_03 XBID NEMO Admins	12
3.1	Annex 1. FreshDesk user guide.....	12
3.2	Annex 2. FreshCaller user guide	20

Notice	This document is part of the operational manual of XBID and is governed by change control. Any change to this document shall follow the NEMO Change Control procedure, following ANIDOA contract. The content of this document might have evolved by the time you read or use this document. Please contact the NEMO Change Control Administrator to check that this is the latest version before using this document.
---------------	--

1 Introduction

This procedure describes the actions that should be performed by Local NEMO Admin (SOB NA, SM NA) and the NEMO Central Admin (NCA) through SOB/SM WebGUI or ComTrader in case that a NEMO has a local or global issue or in case a configurational change has to be carried out.



Capitalized terms used in this document shall have the meaning set forth in Annex 1, unless if defined differently in this document.

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018

1.1 Purpose

The purpose of this document is to describe the set of actions to be carried out by the SOB and SM admin role. For local issues, each NEMO shall have a SOB/SM NA to perform the actions regarding the NEMO's system in order to solve the local issue and in case of global issues, there will be one NEMO who will act as NCA to perform the actions in order to solve the global issue.

1.2 Governed / Regulated by

- All NEMO Intraday Operations Agreement (ANIDOA)
- High Level Architecture (HLA)
- HLS100 – Functional Description SOB
- DFS510 – AMQP Public Message Interface – Trading

1.3 Associated procedures

- Joint XBID Procedures: XBID_JOINT_FAL_01: Incident Management Procedure (as included in Exhibit 6 to the IDOA) and XBID_JOINT_OTH_03: Change control procedure (as included in Exhibit 3 to the IDOA)
- XBID_NEMO_OTH_02: Internal and External Communications
- XBID_NEMO_BUP_01: Transaction process - Backup
- XBID_NEMO_CFG_01: SOB Configurations
- XBID_NEMO_EXC_03: Market suspension and reactivation
- XBID_NEMO_OTH_06: XBID Coordinator Calendar

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

2 Procedure

[Redacted text block containing multiple paragraphs of blacked-out content]


[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]


Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018





























Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018

[Redacted]

[Redacted]

[Redacted]

[Redacted]					
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018

[Redacted text block]

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018

[Redacted Table]

This table is almost entirely redacted with black bars. It features a blue header bar at the top, followed by a grey table area with a blue border on the left side. The table is divided into several columns and rows, with various cells containing redacted text.

[Redacted Text]

Several lines of text are redacted with black bars. The text is left-aligned and consists of approximately seven lines of varying lengths.

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018

[Redacted text block containing multiple paragraphs of blacked-out content]

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018

[Redacted text block]

3 Annexes to XBID_NEMO_OTH_03 XBID NEMO Admins

[Redacted text block]

[Redacted text block]

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018

[Redacted]

[Redacted]

[Redacted]


[Redacted]

[Redacted]

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only


Version 10/01/2018



Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018



Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018



[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]


[Redacted]

[Redacted]

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only



Version 10/01/2018



Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only


Version 10/01/2018



Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018



[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE

Confidential draft working document – to be used for internal purposes only

Version 10/01/2018

Initial of BSP	Initial of CROPEX	Initial of EPEX Belgium	Initial of EPEX	Initial of GME	Initial of HUPX
Initial of IBEX	Initial of LAGIE	Initial of Nord Pool	Initial of OMIE	Initial of OPCOM	Initial of OTE