

**Products that can be taken into account by NEMOs in
single day-ahead coupling in accordance with Article
40 of Commission Regulation (EU) 2015/1222 of 24
July 2015 establishing a guideline on capacity
allocation and congestion management**

12th June 2020

Whereas

Background

- (1) These terms and conditions determine the products that can be taken into account in the single day-ahead coupling ('terms and conditions on SDAC products'). They are established in accordance with Article 40 of the Commission Regulation (EU) 2015/1222 of 24 July 2015 establishing a guideline on capacity allocation and congestion management ('CACM Regulation').
- (2) These terms and conditions on SDAC products take into account the general objectives of capacity allocation and congestion management cooperation described in Article 3 of the CACM Regulation, as set out in paragraphs (3) to (9).
- (3) The range of products that the NEMOs make available to the market participants as a part of SDAC promotes an effective competition in the generation, trading and supply of electricity (Article 3(a) of the CACM Regulation). To ensure that the terms and conditions on SDAC products continue to promote effective competition, the NEMOs shall consult market participants at least every two years to ensure that available products reflect their needs
- (4) The range of products that NEMOs are able to make available to market participants as part of SDAC reflects the needs expressed by market participants along the years. As such, the proposed range of product supports overall liquidity with respect to SDAC and where relevant over-the-counter (OTC) trading, and the DA Products Proposal promotes price resiliency and economic surplus maximisation.
- (5) The orders resulting from the SDAC products are compatible with the characteristics of the cross-zonal capacity and these terms and conditions on SDAC products help to promote the optimal allocation of cross-zonal capacity and to ensure the optimal use of the transmission infrastructure (Article 3(b) of the CACM Regulation). As all orders resulting from the available products shall be able to access the available cross-zonal capacity via the DA MCO function, these terms and conditions on SDAC products provide for non-discriminatory access to cross-zonal capacity (Article 3(j) of the CACM Regulation).
- (6) These terms and conditions on SDAC products ensure operational security (Article 3(c) of the CACM Regulation), because the NEMOs can choose, which products will be supported in the SDAC and because all products allow for simultaneous allocation of energy and cross-zonal capacity. Moreover, if TSOs identify any challenge with respect to operational security they are entitled to request NEMOs to propose an amendment to these terms and conditions for DA products.
- (7) The products listed in these terms and conditions on SDAC products are available for all NEMOs to be offered to their respective market participants and are all compatible with SDAC. As a result, these terms and conditions on SIDC products ensure fair and non-discriminatory treatment of TSOs, NEMOs, the Agency, regulatory authorities and market participants and respects the need for a fair and orderly market and fair and orderly price formation (Articles 3(e) and 3(h) of the CACM Regulation). For each product type, the same attributes should be applied in all bidding zones. There will be no differentiation in order characteristics to ensure a fair market.
- (8) By requiring NEMOs to publish and maintain a detailed public description of the SDAC products, these terms and conditions on SDAC products shall ensure and enhance the transparency and reliability of information (Article 3(f) of the CACM Regulation). Moreover, the NEMOs should involve all stakeholders in any consultation necessary to manage changes to these terms and conditions on SDAC products or the available products.
- (9) These terms and conditions on SDAC products create a level playing field for all NEMOs (Article 3(i) of the CACM Regulation), because all products listed in these terms and conditions on SDAC products can be made available to all NEMOs, and any change to the available products should be governed by all NEMOs.
- (10) These terms and conditions on SDAC products contribute to the efficient long-term operation and development of the electricity transmission system and electricity sector in the Union

(Article 3(g) of the CACM Regulation), because all the products allow for efficient implicit allocation of cross-zonal capacity.

Article 1

Subject matter and scope

1. The products accommodated in SDAC as determined in this DA Products Proposal is the common proposal by all NEMOs in accordance with Article 40 of the Regulation (EU) 2015/1222

Article 2

Definitions

For the purpose of this proposal, terms used shall have the meaning of the definitions included in Article 2 of *Regulation 2015/1222*, the other items of legislation referenced therein and MCO Plan. In addition, the following definitions shall apply:

1. **Request for Change:** means a formal request by one or more parties for any modification to be made to the price coupling algorithm or continuous trading matching algorithm or to its usage in production.
2. **Maximum Payment Condition (MP):** means economical condition that can be associated to complex buy orders aimed at ensuring that the payment related to the order in all MTUs must not exceed a fixed consumption cost, which is global for the whole set of MTUs, and a consumption costs per MWh.
3. **Minimum Income Condition (MIC):** means economical condition that can be associated to complex sell orders aimed at ensuring that the income related to the order in all MTUs must cover at least underlying production costs, quantified by considering the start-up cost of a power plant and operational costs per MWh of the same power plant.
4. **Scheduled Stop:** means condition that can be added to a MIC and applies when the MIC order is deactivated. It only applies to the MTUs defined in the condition and treats the cheapest sub-order in these MTUs as a standard (aggregated) market time unit order. The purpose of this condition is to avoid abrupt stop in power generation.
5. **Acceptance Ratio:** means the minimum percentage on offered volume for which a block order can be accepted. It cannot be different for MTUs belonging to the same block.
6. **MTU:** means market time unit.
7. **PUN order:** for each MTU, means average of clearing prices in the bidding zones where PUN merit orders are active (offered volume from PUN merit orders bigger than 0), weighted for total accepted purchases from PUN merit orders.

Article 3

General Requirements

1. Each NEMO shall publish to market participants the list of the available products in the relevant NEMO's market rules.
2. All orders resulting from these products submitted to the price coupling algorithm shall be expressed in euros and make reference to the MTU. NEMOs are entitled to arrange that orders submitted by market participants are expressed and settled in local currencies or euros.
3. New or modified products are subject to a Request for Change, which is subject to the Change Management Principles established in the Algorithm Proposal.

Article 4

Single Day Ahead Coupling products

1. The price coupling algorithm shall support the following products, covering one or multiple MTUs:

Aggregated MTUs orders

2. Demand (respectively, supply) aggregated MTUs orders are indicated offers from all market participants submitted in the same bidding zone and aggregated into a single curve referred to as aggregated demand (respectively, supply) curve defined for each relevant MTU of the day. Orders are sorted by price:
 - a. Demand orders are sorted from the highest price to the lowest
 - b. Supply orders are sorted from the lowest to the highest price.
3. Following kind of aggregated MTUs orders exist:
 - a. Linear piecewise curves containing only interpolated orders (curves should be strictly monotonous i.e. two consecutive points of the same curve cannot have the same price, except for the first two points defined at the maximum / minimum prices of the bidding zone)
 - b. Stepwise curves containing only step orders (curves should be monotonous i.e. two consecutive points always have either the same price or the same quantity).
 - c. Hybrid curves containing both types of orders (composed by both linear and stepwise segments).
4. One demand (respectively, supply) MTU order is said to be in-the-money when the market clearing price is lower (respectively, higher) than the price of the MTU order. Any order in-the-money must be fully accepted.
5. One demand (respectively, supply) MTU order is said to be out-of-the-money when the market clearing price is higher (respectively, lower) than the price of the MTU order. Any order out-of-the-money must be rejected.
6. One demand or supply MTU order is said to be at-the-money when the price of the MTU order is equal to the market clearing price. Any order at-the-money can be either accepted (fully or partially) or rejected.

Complex orders

7. Complex orders comprise MIC orders (respectively MP orders) and load gradient orders.
8. MIC orders (respectively, MP orders) are composed by:
 - a) N set of MTU sub-orders (sell for MIC orders; buy for MP orders, whereas N is the number of MTUs included in a day), one set per MTU;
 - b) An economic condition, which represents the minimum income (respectively, maximum payment) expected by order's owner defined by:
 - i. A fix term in euros;
 - ii. A variable term in euros per accepted MWh.
9. If the economic condition is not fulfilled, the MIC (respectively, MP) order must be rejected. If the economic condition is fulfilled, the MIC (respectively, MP) order could be accepted. If the economic condition is fulfilled but the MIC (respectively, MP) order is rejected, the MIC (respectively, MP) order is then defined as "paradoxically rejected".
10. Scheduled Stop condition only applies to deactivated MIC orders and only in the MTUs declared as part of the Scheduled Stop interval by the MIC order. In case on which MIC order is deactivated, the first MTU sub-order of the set of offers belonging to the deactivated MIC order in the MTU will remain activated and they will be (could be) accepted if they are in the money (at the money).
11. Load gradient orders: (sell complex order with or without MIC condition) condition that limits the variation between the accepted volume of an order in a MTU and the accepted volume of the same order in the adjacent MTUs, according to an increase gradient and/or a decrease one. Between two

consecutive MTUs, the accepted volume of a load gradients order cannot vary by more than the defined gradients.

Scalable complex orders

12. Scalable complex orders comprise scalable MIC orders (respectively scalable MP orders) and load gradient orders.
13. Scalable MIC orders (respectively, scalable MP orders) are composed by:
 - c) N set of MTU sub-orders (sell for scalable MIC orders; buy for scalable MP orders, whereas N is the number of MTUs included in a day), one set per MTU;
 - d) An economic condition, which represents the minimum income (respectively, maximum payment) expected by order's owner defined by:
 - iii. A fix term in euros;
 - iv. The price of each sub-order in the N set of MTU sub-orders in euros per accepted MWh of each sub-order.
 - e) A minimum acceptance volume, one value per MTU.
14. If the economic condition is not fulfilled, the scalable MIC (respectively, scalable MP) order must be rejected. If the economic condition is fulfilled, the scalable MIC (respectively, scalable MP) order could be accepted. If the economic condition is fulfilled but the scalable MIC (respectively, scalable MP) order is rejected, the scalable MIC (respectively, scalable MP) order is then defined as "paradoxically rejected".
15. The scalable MIC (respectively, scalable MP) orders cannot be accepted for a volume less than the minimum acceptance volume defined for all and each one of the minimum acceptance volume of the MTU.
16. Scheduled Stop condition only applies to deactivated scalable MIC orders and only in the MTUs declared as part of the Scheduled Stop interval by the scalable MIC order. In case on which scalable MIC order is deactivated, the first MTU sub-order of the set of offers belonging to the deactivated scalable MIC order in the MTU will remain activated and they will be (could be) accepted if they are in the money (at the money).
17. Load gradient orders: (sell complex order with or without MIC condition) condition that limits the variation between the accepted volume of an order in a MTU and the accepted volume of the same order in the adjacent MTUs, according to an increase gradient and/or a decrease one. Between two consecutive MTUs, the accepted volume of a load gradients order cannot vary by more than the defined gradients.

Block orders

18. A block order consists of a fixed price limit (minimum price for sales block and maximum price for purchase blocks), a minimum acceptance ratio and a volume for a number of MTUs. If volume is not the same for all MTU periods, block is defined also as profile block.
19. Block orders cannot be accepted for a volume less than their minimum acceptance ratio. Acceptance ratio must be the same for all MTUs belonging to the block.
20. For block orders one single price shall be calculated on the volume weighted average of the respective MTUs market clearing prices.
21. The condition of rejection for a block order depends on the block volume weighted average margin clearing prices over all MTUs:
 - a. Sales block orders must be rejected if the block volume weighted average MCP (market clearing price) is lower than the block order price;
 - b. Purchase block orders must be rejected if the block volume weighted average MCP (market clearing price) is higher than the block order price;
 - c. A block can be paradoxically rejected (not accepted in the money block), but not paradoxically accepted (accepted out of the money block).
22. Linked block orders: block orders in the same bidding zone can be linked together in a parent-child relation. A child block cannot be accepted if the parent one is rejected. An out of money parent block

- can be saved by one or more in the money children blocks (if the child's acceptance compensates, in terms of economic surplus, the loss associated to parent's acceptance).
23. Exclusive groups of block orders: is a set of block orders for which the sum of the acceptance ratios cannot exceed 1.
 24. Flexible MTU orders: a flexible MTU order is a regular block order with duration of a single time period but for which the MTUs is let free (not defined by the participant). The MTU, in which the flexible MTU order is accepted, is calculated by the algorithm and determined by the optimization criterion.

Merit orders and PUN orders

25. Merit orders and PUN orders: "Stepwise" MTU order per bidding zone that includes a merit order number. This merit order number shall act as tie-break rule setting the acceptance priority between merit orders at the same price (pro-quota criteria are not applied for merit orders). Merit orders can be divided in:
 - a. Selling/buying merit orders:
 - i. Cleared at their own bidding zone clearing price;
 - ii. Must be accepted if in the money;
 - iii. Must be rejected if out the money;
 - iv. Can be accepted or rejected if at the money;
 - v. Cannot be paradoxically accepted or rejected.
 - b. PUN merit orders:
 - i. Buying merit orders cleared at PUN price;
 - ii. Must be accepted if in the money;
 - iii. Must be rejected if out the money;
 - iv. Can be accepted or rejected if at the money;
 - v. Cannot be paradoxically accepted or rejected.
26. The usage and parameterisation of any individual product is a decision of each individual NEMO, subject, to the extent it has an impact on the algorithm performance, to the application of the Change Control Procedure established under the Algorithm Proposal.

Article 5

Timescale for implementation

1. Upon approval of the DA Products Proposal, each NEMO shall publish it on the internet in accordance with Article 9(14) of the CACM Regulation.
2. The NEMOs shall implement the DA Products Proposal with respect to the implementation of the SDAC, immediately after the approval by the NRAs of the DA Products Proposal, and with respect to the operation of the SDAC immediately after the MCO function has been implemented in accordance with the approved MCO Plan in line with Article 7(3) of the CACM Regulation.

Article 6

Language

1. The reference language for this proposal shall be English. For the avoidance of doubt, where NEMOs need to translate this proposal into their national language(s), in the event of inconsistencies between the English version published by the NEMOs in accordance with Article 9(14) of the CACM Regulation and any version in another language, the relevant NEMOs shall be obliged to dispel any inconsistencies by providing a revised translation of this proposal to their relevant national regulatory authorities.